

BOSTIK NEW ZEALAND LTD
19 EASTERN HUTT RD
LOWER HUTT
PHONE : (04) 567-5119

National Poisons and Hazardous Chemicals Information Centre:
0800POISON
0800 764 766

PRODUCT : Gilt Grip Direct & Double

CHEMICAL FAMILY : Water Based Adhesive

SECTION I IDENTIFICATION Gilt Grip Direct & Double

UN Number : Not Applicable
Hazchem code : Not Applicable
NZ Dangerous Good class : Not Applicable
Packaging Group : Not Applicable

SECTION II HAZARDOUS INGREDIENTS Gilt Grip Direct & Double

Name	CAS Number	Content	WES-TWA	WES-STEL
TOLUENE (Methyl Benzene)	108-88-3	Very Low	50 ppm	—

High = > 60 % Medium = 30 % - 60 % Low = < 30 % Very Low = < 10 %

SECTION III PHYSICAL DATA Gilt Grip Direct & Double

VAPOR PRESSURE IN MM HG 21
BOILING POINT IN DEGS C 100 TO 111
VAPOR DENSITY (AIR=1) Not Available
SOLUBILITY IN WATER 25.7 %
EVAPORATION RATE 1.1 (Butyl Acetate=1)
SPECIFIC GRAVITY 1.31
PERCENT VOLATILE BY WEIGHT 25

APPEARANCE AND ODOUR Thick white paste

SECTION IV FIRE AND EXPLOSION DATA Gilt Grip Direct & Double

FLASH POINT Not Applicable
LOWER EXPLOSIVE LIMIT Not Available
UPPER EXPLOSIVE LIMIT Not Available

SPECIAL FIREFIGHTING PROCEDURES AND UNUSUAL FIRE AND EXPLOSION HAZARDS

None known to BOSTIK

EXTINGUISHING MEDIA

Water spray, foam, dry chemical, carbon dioxide

SECTION V HEALTH HAZARD DATA Gilt Grip Direct & Double

INGESTION No hazard known at this time.
ABSORPTION No hazard known at this time.
INHALATION Hazardous if inhaled.
CONTACT Ingredient causes eye and/or skin irritation.
INHALATION Vapour or mist can cause headache, nausea and irritation of the
 nose, throat and lungs.
CORROSION No hazard known at this time.
FLAMMABILITY Not applicable.

FIRST AID:

EYE CONTACT Flush eyes with a large amount of water for at least 15
 minutes. See a physician if irritation persists.
SKIN CONTACT Wash affected areas with soap and water. Launder contaminated
 clothing.

SYMPTOMS OF OVEREXPOSURE

None known to BOSTIK.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None known to BOSTIK.

ENTRY ROUTE

Ingestion, Inhalation, Contact

CHRONIC EFFECTS

Irritating to skin upon prolonged contact. Slightly
irritating to the eyes.

SECTION VI REACTIVITY DATA Gilt Grip Direct & Double

STABILITY Stable

MATERIALS TO AVOID
Strong Oxidizers, Acids

HAZARDOUS DECOMPOSITION PRODUCTS
Unknown due to the complex nature of this material. Fumes from complete or incomplete combustion of this material may include carbon dioxide, carbon monoxide, water vapour, oxides of nitrogen or a wide variety of innocuous or toxic fumes.

HAZARDOUS POLYMERIZATION Will not occur.

SECTION VII SPILL OR LEAK PROCEDURES Gilt Grip Direct & Double

STEPS TO BE TAKEN WHEN MATERIAL IS SPILLED OR RELEASED

Soak up liquid with an absorbent material such as sand, earth, sweeping compound or some other absorbent material. Package absorbent material or solid product in steel drums which are in good condition.
Thoroughly clean area where spill occurred.

WASTE DISPOSAL METHOD
Dispose of in accordance with local rules. Be aware that local requirements may differ widely depending on location and may in many cases be different from national rules. When intending to dispose of this material, the user is advised that this product may be classified as a Hazardous Waste under Regulations in effect at the time this MSDS was created.

SECTION VIII SPECIAL PROTECTION INFORMATION Gilt Grip Direct & Double

VENTILATION
Not necessary but may be desirable to reduce odours.

PROTECTIVE GLOVES
Not normally required

EYE PROTECTION
Safety glasses recommended.

OTHER PROTECTION
Safety shower and eye bath.

SECTION IX SPECIAL PRECAUTIONS Gilt Grip Direct & Double

PRECAUTIONS FOR HANDLING AND STORING

Store in a cool location (15-25 degrees C) away from sunlight and any source of heat. Keep container tightly closed when not being used.

OTHER PRECAUTIONS

Use with adequate ventilation, avoid prolonged or repeated breathing of vapors. Avoid skin contact.

PREPARED BY: Bostik New Zealand Ltd 23 November 2005 (Version 1)

IMPORTANT NOTICE:

The above recommendations are intended for the assistance of users and are of a general nature. They are based on our experience and judgement but because the conditions under which, and the materials with which our products are used, are beyond our control our recommendations must not be regarded as amounting to legal warranty or as involving any liability on us.

