

BOSTIK NEW ZEALAND LTD
19 EASTERN HUTT RD
LOWER HUTT
PHONE : (04) 567-5119

National Poisons and Hazardous Chemicals Information Centre:
0800POISON
0800 764 766

PRODUCT : Giltgrip General Purpose Vinyl adhesive
CHEMICAL FAMILY : Water Based Adhesive

SECTION I IDENTIFICATION Giltgrip General Purpose Vinyl adhesive

UN Number : Not Applicable
Hazchem code : Not Applicable
NZ Dangerous Good class : Not Applicable
Packaging Group : Not Applicable

SECTION II HAZARDOUS INGREDIENTS Giltgrip General Purpose Vinyl adhesive

Name	CAS Number	Content	WES-TWA	WES-STEL
TOLUENE (Methyl Benzene)	108-88-3	Very Low	50 ppm	—

High = > 60 % Medium = 30 % - 60 % Low = < 30 % Very Low = < 10 %

SECTION III PHYSICAL DATA Giltgrip General Purpose Vinyl adhesive

VAPOR PRESSURE IN MM HG 21
BOILING POINT IN DEGS C 100 TO 111
VAPOR DENSITY (AIR=1) Not Available
SOLUBILITY IN WATER miscible
EVAPORATION RATE 1.1 (Butyl Acetate=1)
SPECIFIC GRAVITY 1.31
PERCENT VOLATILE BY WEIGHT 30%

APPEARANCE AND ODOUR Thick white paste

SECTION IV FIRE AND EXPLOSION DATA Giltgrip General Purpose Vinyl adhesive

FLASH POINT Not Applicable
LOWER EXPLOSIVE LIMIT Not Available
UPPER EXPLOSIVE LIMIT Not Available

SPECIAL FIREFIGHTING PROCEDURES AND UNUSUAL FIRE AND EXPLOSION HAZARDS

None known to BOSTIK

EXTINGUISHING MEDIA

Water spray, foam, dry chemical, carbon dioxide

SECTION V HEALTH HAZARD DATA Giltgrip General Purpose Vinyl adhesive

INGESTION No hazard known at this time.
ABSORPTION No hazard known at this time.
INHALATION Hazardous if inhaled.
CONTACT Ingredient causes eye and/or skin irritation.
INHALATION Vapour or mist can cause headache, nausea and irritation of the nose, throat and lungs.
CORROSION No hazard known at this time.
FLAMMABILITY Not applicable.

FIRST AID:

EYE CONTACT Flush eyes with a large amount of water for at least 15 minutes. See a physician if irritation persists.
SKIN CONTACT Wash affected areas with soap and water. Launder contaminated clothing.

SYMPTOMS OF OVEREXPOSURE

None known to BOSTIK FINDLEY.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None known to BOSTIK FINDLEY.

ENTRY ROUTE

Ingestion, Inhalation, Contact

CHRONIC EFFECTS

Irritating to skin upon prolonged contact. Slightly irritating to the eyes.

SECTION VI REACTIVITY DATA Giltgrip General Purpose Vinyl adhesive

STABILITY Stable

MATERIALS TO AVOID Strong Oxidizers, Acids

HAZARDOUS DECOMPOSITION PRODUCTS

Unknown due to the complex nature of this material. Fumes from complete or incomplete combustion of this material may include carbon dioxide, carbon monoxide, water vapour, oxides of nitrogen or a wide variety of innocuous or toxic fumes.

HAZARDOUS POLYMERIZATION Will not occur.

SECTION VII SPILL OR LEAK PROCEDURES Giltgrip General Purpose Vinyl adhesive

STEPS TO BE TAKEN WHEN MATERIAL IS SPILLED OR RELEASED

Soak up liquid with an absorbent material such as sand, earth, sweeping compound or some other absorbent material. Package absorbent material or solid product in steel drums which are in good condition. Thoroughly clean area where spill occurred.

WASTE DISPOSAL METHOD

Dispose of in accordance with local rules. Be aware that local requirements may differ widely depending on location and may in many cases be different from national rules. When intending to dispose of this material, the user is advised that this product may be classified as a Hazardous Waste under Regulations in effect at the time this MSDS was created.

SECTION VIII SPECIAL PROTECTION INFORMATION Giltgrip General Purpose Vinyl adhesive

VENTILATION

Not necessary but may be desirable to reduce odours.

PROTECTIVE GLOVES

Not normally required

EYE PROTECTION

Safety glasses recommended.

OTHER PROTECTION

Safety shower and eye bath.

